

Joylive<sup>e</sup>

Safety In Your Life

# 智联城市，布局全球战略

Global strategy

产品和服务网络覆盖  
东南亚、中东、非洲等国家和地区

50+



# JOYVILLA

## 智能家用电梯

源自意大利Gearless技术

Intelligent Home Elevator

Gearless Technology From Italy

6000Plus

Joylive<sup>e</sup>

Safety In Your Life

巨立电梯股份有限公司 (证券简称: 巨立股份 证券代码: 833481) Joylive Elevator Co., Ltd.

总部: 江苏省昆山市正仪君子亭西路615号 | 智能工厂: 江苏省昆山市石牌毛许路322号

电话: 0512-57806555 | 传真: 0512-57899222 | 全国24小时服务热线: 400 884 8881 | 电子邮箱: joylive@joylive.com

A: No. 615, West Junziting Rd., Kunshan Suzhou City, China | T: +86-512-57806555 | M: joylive@joylive.com

本印刷品仅作为一般信息之用, 本公司保留随时更改产品设计与规格的权利。本印刷品所载信息就产品及其特殊用途之适用性、适用性、品质均不构成任何明示或暗示的担保或承诺, 亦不得视作其中产品或服务采购协议的条款。内容仅供参考, 如有变动, 以最新技术文件为准, 恕不另行通知。印刷颜色与实际色彩可能有差别, 以实物为准。

版权所有 201811



巨立电梯  
微信公众号



巨立家用电梯  
微信公众号

巨立股份 伴你美好生活

JOYLIVE-Your friend of wonderful life

## TWO-WHEEL DRIVE INNOVATIVE BRAND STRATEGY

# 双轮驱动 创新品牌战略

在“国家品牌计划”的大背景下，巨立股份通过融合国际领先的信息技术、先进制造技术、自动化技术和人工智能技术，确定了智能制造和智能服务两大发展战略，走上品牌建设发展的道路。

Under the background of the 'National Brand Plan', Joylive has identified two major development strategies: intelligent manufacturing and intelligent serve and embarked on the road of brand building development through the integration of international leading information technology, advanced manufacturing technology, automation technology and artificial intelligence technology.

## ABOUT JOYLIVE 关于巨立

巨立电梯股份有限公司 2002 年创立于江苏昆山，公司专注于电梯制造与服务领域，拥有行业领先的智能制造中心，产品包括乘客电梯、家用电梯、载货电梯、自动扶梯及自动人行道等全系列的电扶梯产品解决方案。巨立股份坚持品质和技术创新，先后获得了“高新技术企业”、“江苏省认定企业技术中心”、“江苏名牌产品”、“江苏省电梯维保五星单位”等称号，与苏州大学共建了“苏州大学——巨立股份智能技术研究所”，并与新加坡科技研究局、新加坡建屋发展局展开技术合作，研发全球领先的新一代电梯物联技术。

Joylive Elevator Co., Ltd. was founded in Kunshan, Jiangsu Province in 2002. The company, equipped with an industry-leading intelligent manufacturing center specializes in elevator manufacturing and service. The products include Passenger Elevator, Home Elevator, Freight Elevator, Escalator and Moving Walks with complete series of product solutions. Joylive adheres to the quality and technology innovation, and continuously win the titles of 'High-tech Enterprise', 'Enterprise Technology Center Recognized by Jiangsu Province', 'Jiangsu Famous Brand Products' and 'Jiangsu Province Five-Star Elevator Maintenance Company'. The company established 'Intelligent Technology Research Institution' with Soochow University, and cooperated with the Singapore Science and Technology Research Bureau & the Housing Development Bureau of Singapore and Information to research the world's leading new generation of Elevator IOT technology.




## HOME ELEVATOR FOR GLOBAL VILLA CUSTOMERS

# 面向全球别墅客户的 家用电梯

## Joylive 6000Plus 着眼于空间居者的生活追求

我们透过材质与颜色，将家用电梯与居者生活有机的结合，造就自然与安全的垂直空间。安全、静音、耐用、美观是 Joylive 6000Plus 产品设计的核心宗旨，精雕细琢、匠心独运；智能管家、安全可靠；设计雅致、工艺精美，为全球别墅客户提供最佳垂直交通解决方案。

Joylive 6000Plus focuses on the pursuit of life in space. We organically combine home elevators with people's life through materials and colors, creating a vertical space of nature and safety. To be Safe, quiet, durable and beautiful is the core tenet of Joylive 6000Plus product design. It is meticulously crafted and ingenious; intelligent butler, safe and reliable; elegant design and exquisite craftsmanship, Joylive can provide the best vertical transportation solutions for villa clients from all over the world.



# INTELLIGENT LIFE 智能生活

巨立云 4.0 智能电梯管家  
JoyCloud 4.0 intelligent elevator butler



## 动态监测 Active diagnosis

 对电梯的运行实施动态监测。  
Active diagnosis of elevator running in time.

## 远程监控 Remote monitoring

 远程数据采集、监测、管理, 高效管控即时信息。  
Remote data collection, monitoring, management, efficient management of instant information.

## 在线安装 online installation

 从电梯出厂到交付使用, 安装过程全监控。  
From the elevator delivery to the client using, the whole installation process is fully monitored.

## 在线维保 Remote monitoring

 自动生成电梯专属健康档案和维保诊断报告, 预测保养时间, 实时监控、反馈维修保养进度。  
Remote data collection, monitoring, management, efficient management of instant information.

## 网格救援 Grid-layout Rescue

 电梯故障时主动提示并进行网络定位, 监控中心主动派遣专业技术工程师赶赴维修。  
When one unpredicted failure occurs, it promptly prompts and performs network positioning. The monitoring center actively dispatches professional technical engineers to rush to repair.

## 体验互动 Interactive system

 巨立云 4.0, 智能手机与电梯互动语音、视频等多媒体互动体验。  
Joycloud 4.0, Experience of interactive voice and video between smart phone and elevator.

扫描二维码  
下载巨立云手机客户端

Scan the QR code to download the JoyCloud App



Joycloud Android



Joycloud ios

# FLIGHT INTERFACE

## Flight人机界面

### 非凡触控体验

Extraordinary touching experience

G2147  
黑钛镜面不锈钢  
Black titanium mirror  
stainless steel



G2147  
香槟金镜面不锈钢  
Champagne golden mirror  
stainless steel



G2147  
镜面不锈钢  
Mirror stainless  
steel



- 全金属系列人机界面, 质感更强, 安全、稳定、耐用;  
All-metal series man-machine Interaction, stronger texture, safe, stable and durable;
- Flight 系列人机界面配置全感应按钮、7 寸彩色 TFT 液晶显示屏, 让乘梯体验更科技;  
The Flight series man-machine Interaction is equipped with a full-sensing button, one 7-inch color TFT LCD screen, more technological experience;
- 配置一键呼叫功能, 可预存多组号码;  
Equipped with one-touch calling function to prestore multiple groups of numbers
- 操纵箱感应按钮可手动关闭轿厢风扇;  
Inductive button on the COP to close the car fan manually
- 超薄壁挂式外呼, 触摸式按钮。  
Ultra-thin wall-mounted HOP, touching button



G2250  
雅黑款  
Black style



G2250  
咖金款  
Golden style



G2250  
正白款  
White style

# SAFE, QUIET, ENERGY-SAVING SYSTEM 安全、静音、节能系统

## 灵活结构 一目了然

Flexible structure, more clearly

### Drive motor 驱动马达

意大利 Gearless 技术  
德国海德汉原装进口旋转编码器, 精确控速  
盘式抱闸, 主机过热保护, 进口免维护轴承。

静音 | 抗干扰 | 能耗低 | 主机制造序列号可追溯 | 可选意大利原装进口。

Italy Gearless Technology,  
HEIDENHAIN rotary encoder imported from Germany, precise speed control.  
Disc brake, motor overheat protection, importing exempted maintenance bearings.  
Mute | Anti-interference | Low energy consumption | Motor manufacturing serial number traceable | Optional imported from Italy.

### Light curtain system 光幕系统

瑞士瑞电士原装进口光幕, 保护高度 1820mm, 红外扫描光束高达百束, 交叉式扫描, 全方位“手指”级保护。

Originally imported Swiss CEDES light curtain, protection height 1820mm, infrared scanning up to 100 beams, cross-scan available, all-round “finger” level protection.

### Safe and complete elevator protection measures 安全、完善的电梯保护措施

配有高于国标要求的机械结构、智能电气、故障自平层、ARD 停电紧急救援装置等各类保护措施, 配合 Joycloud 智能电梯管家系统给予用户整套完善的安全保护体系。

It is equipped with mechanical structure protection measures that exceeds the national standard requirements, intelligent electrical protection measures. various protection measures such as fault self-leveling, ARD power failure emergency rescue device, etc., in coordination with Joycloud 4.0 intelligent elevator. The butler system gives the user a complete set of security protection systems.



### Hall/Car Door System 厅 / 轿门系统 \*1

直流无刷电机, 低耗节能, 低干扰, 低噪音。

寿命及可靠性:

使用频率: 200,000 次 / 年;

最小寿命: 2,000,000 次。

符合标准 GB7588-A1 / EN81-20/50 /CCC/ETC/CE。

德国 威特品牌, 门电机和控制器可选原装进口。

Brushless DC motor, low consumption and energy saving, low interference, low noise

Life and reliability

Frequency of use: 200,000 times / year

Minimum life: 2,000,000 times

GB7588-A1 / EN81-20/50 /CCC/ETC/CE

Comply with standard BG75888-a1 / en81-20/50 /CCC/ETC/CE

Germany Wittur brand, door motor and controller can be imported

### Shock absorption and noise reduction system 减震降噪系统

采用多重减震措施, 减弱震动传导, 配置隔音、降噪措施, 增强乘坐舒适度, 提高用户体验。

Various shock absorption measures to reduce the vibration conduction. It also configure sound insulation, noise reduction measures to enhance ride comfort and the user experience

### BK50 Mini mute control system BK50 迷你静音型控制系统

迷你家居化电梯控制柜: 320x200x600 mm(长 x 宽 x 高);  
OMRON 无声继电器替代接触器, 运行过程中无接触器噪音。

Mini home elevator control cabinet: 320 X 200 X 600mm (L x W x H)

OMRON The silent relay replaces the contactor and there is no contactor noise during operation.

### CTP Wrapped plastic traction rope (optional) CTP 裹塑曳引绳 (可选) 2\*

免维护系统, 超长的使用寿命, 降低维护成本。

有效消除和吸收振动, 运行平稳。

瑞士布鲁格原装进口, 品质保证。

It is a maintenance-free system that is long service life and reduces maintenance cost.

Effectively eliminates and absorbs vibrations and has a significant effect on smooth operation.

Imported Swiss-made Brugger®, quality guarantee

1\* 选配旁开或观光门时, 可能会改变门系统品牌, 请咨询销售人员。

2\* 标配为曳引钢丝绳

# MODERN LUXURY 现代轻奢

G5258



吊顶 (G1076): 烤漆钢板, LED 灯带, LED 透光板  
后壁: 香槟金镜面蚀刻不锈钢、香槟金磨砂不锈钢  
侧壁: 香槟金磨砂不锈钢  
操纵箱: 整体式操纵, 黑钛镜面不锈钢, 真彩图片机  
地板 (G3354): 大理石拼花

Ceiling (G1076): Painted steel plate, LED light strip, LED light transmissive board  
Rear wall: Champagne gold mirror etched stainless steel, Champagne gold frosted stainless steel  
Side wall: Champagne gold frosted stainless steel  
Car Operation Panel: Integral Type, Black Titanium, Mirror Stainless steel, Multi-media LCD  
Floor (G3354): Marble Parquet



简洁的线条给人护盾般的安全  
繁星的点缀不失温柔  
恰似王者归来的气度

Simple lines give a shield-like safety  
Starry embellishment without losing tenderness,  
just like the return of the king

注: 效果图系电脑绘制, 可能与实物稍有差异, 请以实物为准。  
Note: The drawing is made by computers, which may differ from the actual ones.  
Detailed information is in accordance with the final product

# CHINESE STYLE 中式轻韵

G5260



360° 全景

吊顶(G1077): 烤漆钢板, 金箔, LED 灯带  
 后壁: 镜面蚀刻不锈钢, 木纹化妆钢板(LG膜)  
 侧壁: 木纹化妆钢板(LG膜)  
 操纵箱: 整体式操纵, 黑钛镜面不锈钢, 真彩图片机  
 地板(G3335): 大理石拼花

Ceiling (G1077): Painted Steel, Gold foil, LED Light strip  
 Rear Wall: Mirror-finish & etched stainless steel plate, Wood-grain steel plate (LG)  
 Side Wall: Wood-grain steel plate (LG)  
 Car Operation Panel: Integral Type, Black Titanium, Mirror Stainless steel, Multi-media LCD  
 Floor (G3335): Marble Parquet



静物之美, 美在凝固  
 金色的吊顶如同佛光涌现  
 如绵延的旋律  
 点滴细节如同美酒般回味无穷

The beauty of still life is for its solidification  
 The lamplight on the golden ceiling relieving it  
 with agreeable distinctness



- 优异的防火性能 • 卓越的防火性能 • 抗菌
- Adhesive Layer • Release Paper • Printer Layer

效果请以实物为准。用图仅供参考。请以实物为准。  
 Note: The drawing is made by computer, which may differ from the actual product.  
 Detailed information is in accordance with the final product.

# LUXURY IN EUROPEAN STYLE

## 欧风奢华

G5263



360° 全景

吊 顶 (G1079): 木饰面烤漆, LED 灯带  
后 壁: 木饰面烤漆  
侧 壁: 木饰面烤漆  
操纵箱: 整体式操纵, 黑钛镜面不锈钢, 真彩图片机  
地 板: (G3356): 大理石拼花

Ceiling (G1079): Wood veneer paint, LED Light strip  
Rear wall: Wood veneer paint  
Side Wall: Wood veneer paint  
Car Operation Panel: Integral Type, Black Titanium, Mirror Stainless steel, Multi-media LCD  
Floor (G3356): Marble Parquet



浪漫优雅的雕饰技艺  
蕴含着高贵血统  
充满奢华的欧式品质  
无不体现高贵、典雅的气氛

There is a sense of nobility and luxury in this romantic and elegant carving technology

注: 效果图系电脑绘制, 可能与实物稍有差异, 请以实物为准。  
Note: The drawing is made by computers, which may differ from the actual ones. Detailed information is in accordance with the final product

# MORE CAR DECORATION AND DESIGN

## 更多轿厢装饰方案

私人定制您的品质生活  
Personal Customizing Your Quality Life

G5254



360° 全景

G5255



360° 全景

G5256



360° 全景

G5259



360° 全景

G5257



360° 全景

G5264



360° 全景

# LANDING DOOR/ CAR DOOR

## 厅/轿门

多彩定制  
Colorful Customization

发纹不锈钢  
Hairline stainless steel



香槟金磨砂不锈钢  
Champagne gold, Frosted Stainless Steel



黑钛磨砂不锈钢  
Black Titanium, Frosted Stainless Steel



玫瑰金磨砂不锈钢  
Rose gold Frosted Stainless Steel



手拉门\*  
Hand-operated door



有框玻璃门  
glass door in-frame



# SHAFT DECORATION SCHEME

## 井道装饰方案

高强度铝合金, 承载无限

High-strength aluminum alloy, carrying unlimited



### 可选型材颜色 Optional material color

氟碳 - 香槟金  
Fluorocarbon process  
- champagne gold



烤漆 - 白色  
Paint - white



转印 - 木纹  
Transfer paint  
- wood grain



### 可选封板材质\* Optional sealing material

无色玻璃  
Colorless glass



磨砂玻璃  
Frosted glass



茶色玻璃  
Brown glass



铝塑板  
Aluminum composite panel



\* 井道封板可选 8mm 单层钢化玻璃, 4+4 夹胶钢化玻璃, 铝塑板



# MARKET GUIDANCE PRICE DESCRIPTION AND VALUE-ADDED SERVICES

## 市场指导价说明及增值服务

- 1、Joylive 家用梯执行统一的零售市场定价政策。
  - 2、在设计、配置等相同的情况下, 设备销售价格一致。
  - 3、安装、运输及售后服务根据地区不同有所差异。
  - 4、通过官网及微信公众号可以申请报价且价格具备可追溯性。
  - 5、巨立提供不同配置的产品以满足客户的预算及需求。
  - 6、府邸出售时, 向新主人提供免费的整体体检及优惠的原厂轿厢翻新服务。
  - 7、巨立及授权经销商向客户提供免费的售前技术方案服务。
- 1、Joylive home elevator implements a unified retail market pricing policy.
  - 2、In the same case of design, configuration, etc. the sales price of the equipment is the same.
  - 3、Installation, transportation and after-sales service vary according to the region.
  - 4、The official website and WeChat public account can apply for quotation and the price is traceable.
  - 5、Joylive offers products in different configurations to meet customers' budgets and needs.
  - 6、When the house is sold, the new owner will be provided with a free overall physical examination and discounted original car refurbishment service.
  - 7、Joylive and authorized dealers provide customers with free pre-sales technical solutions.

## EXCELLENT INSTALLATION AND AFTER-SALES SERVICES

### 卓越的安装与售后服务


---

- 我们言必行、行必果
- 我们想您所想、急您所需
- 我们提供百分百的服务质量
- 我们专业、专注、积极、高效
- 我们不惜一切解决受理您的任何问题
- 我们第一时间响应您的需求,及时与您良好沟通
- 我们持续跟进每台电梯、每天的安装及售后工作,超越您的需求
- 我们运用专业的运维平台与工具,确保我们的家用电梯产品安全、舒适


- Do what we said
- Think and supply what you think and need
- Provide 100% quality of service
- Professional, focused, active and efficient
- Do whatever it takes to resolve any of your questions.
- Respond to your needs in the first time and communicate with you in a timely manner.
- Continue to follow up on every elevator, daily installation and after-sales work to exceed your needs.
- Professional operation and maintenance platforms and tools to ensure the safety and comfort of our home elevator.

# LAYOUT PLAN & PARAMETER AND DIMENSIONS


## 土建布置图 / 土建参数表




井道立面图  
Shaft vertical view




后背包  
井道平面布置图  
Shaft layout plan  
Rear Backpack



侧背包  
井道平面布置图  
Shaft layout plan  
Side backpack



井道立面图  
Shaft vertical view



井道平面布置图  
Shaft layout plan

载重 kg	速度 m/s	轿厢尺寸 (mm)		井道尺寸 (mm)		开门方式	
		轿厢宽度CW	轿厢深度CD	井道净宽HW	井道净深HD		
400kg	0.4m/s	700/800	1200	850	1550/1700	1500	中分门
		700/800	1200	900	1550/1700	1550	
		700/800	1200	950	1550/1700	1600	
		700/800	1200	1000	1550/1700	1650	
		700	1000	850	1350	1550	
		700	1000	900	1350	1600	
	0.3m/s	700	1000	950	1350	1650	旁开门
		700	1000	1000	1350	1700	
		800	1200	850	1500	1550	
		800	1200	900	1500	1600	
		800	1200	950	1500	1650	
		800	1200	1000	1500	1700	
0.3m/s	800	1100	850	1300	1350	手拉门	
	800	1100	900	1300	1400		
	800	1100	950	1300	1450		
	800	1100	1000	1300	1550		

注：超出此范围请走非标流程。井道净宽与井道净深请务必保证其尺寸，不可有负偏差。

载重 kg	速度 m/s	轿厢尺寸 (mm)		井道尺寸 (mm)		开门方式	
		轿厢宽度CW	轿厢深度CD	井道净宽HW	井道净深HD		
400kg	0.4m/s	700	800	1200	1400	1550	旁开门
		800	850	1200	1450	1550	
		800	900	1200	1500	1550	
		800	950	1200	1550	1550	
		800	1000	1200	1600	1400	
		700	800	1200	1400	1400	
	0.3m/s	800	850	1200	1450	1400	手拉门
		800	900	1200	1500	1400	
		800	950	1200	1550	1400	
		800	1000	1200	1600	1400	

注：超出此范围请走非标流程。井道净宽与井道净深请务必保证其尺寸，不可有负偏差。

轿厢高度CH mm	顶层高度TH mm	底坑深度PD mm	开门高度DH mm
2050	2700	300	2000
2150	2750		2000
2250	2850		2000/2100
2350	2950		2100

注：1、轿厢高度为轿厢结构高度，非装饰完成面净高度。  
2、当CH≥2150时，可选吊顶装饰。

载重 kg	速度 m/s	最小轿厢尺寸 (mm)		最小井道尺寸 (mm)		开门方式		
		轿厢宽度CW	轿厢深度CD	井道净宽HW	井道净深HD			
320kg / 400kg	0.4m/s	700	800	1000	1450	1350	旁开门	
		800	900	1000	1550	1350		
		700	1000	1000	1600	1300		
		800	1100	1000	1700	1300		
		700	800	1000	1450	1150		中分门
		800	900	1000	1500	1150		
	0.3m/s	700	800	1000	1450	1150	手拉门	
		800	900	1000	1500	1150		

说明：该表格数据为允许的极限范围，公司标准范围为轿厢宽度CW=800~1200，轿厢深度CD=1000~1300，CW、CD不可同时选用最小或最大值。表内顶层净高对应轿厢高度为2150，轿厢高度可选范围为：2050~2350，超出此范围请走非标流程。井道净宽与井道净深请务必保证其尺寸，不可有负偏差。

轿厢高度CH mm	顶层高度TH mm	底坑深度PD mm	开门高度DH mm
2050	2900	500	2000
2150	3000		2000
2250	3100		2000/2100
2350	3200		2100

注：轿厢高度为轿厢结构高度，非装饰完成面净高度。

轿厢高度CH mm	顶层高度TH mm	底坑深度PD mm	开门高度DH mm
2050	3100	300	2000
2150	3200		2000
2250	3300		2000/2100
2350	3400		2100

注：轿厢高度为轿厢结构高度，非装饰完成面净高度。